

ANUSHAKTI/APAR SHAKTI

APAR House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400 Email: info.cable@APAR.com, Website: www.apar.com

List Price No:LDC/LP/HW/23/270623 Effective From 27th June 2023 Page 1 of 16

Single Core, multi stranded bare annealed Copper conductor, EBXL HR FR PVC/FR PVC insulated industrial cable (unsheathed) 1100 Volts conforming to the latest IS:694 as per brand given below (HSN CODE : 8544)

Conductor Area	Conductor Construction	APAR Anushakti - EBXL HR FR PVC	APAR Shakti - FR PVC	No.of Coils packed in a Master Carton
Sq mm	(No./Dia.mm)	Rate per 90m coil (INR)		90m
0.5	16 / 0.2	1057	950	20
0.75	24 / 0.2	1433	1333	20
1.00	32/0.2	1845	1717	20
1.50	30/0.25	2728	2537	12
2.50	50/0.25	4353	4047	12
4.00	56/0.3	6591	6129	8
6.00	84/0.3	9746	9064	4

Single Core, multi stranded bare annealed Copper conductor, EBXL HR FR PVC/FR PVC insulated industrial cable (unsheathed) 1100 Volts conforming to the latest IS:694 as per brand given below (HSN CODE : 8544)

((
Conductor	Conductor Construction	APAR Anushakti - EBXL	APAR Shakti - FR PVC	No.of Coils packed in a		
Area	Conductor Constituenon	HR FR PVC	7 TAX GIGKII - I K I V C	Master Carton		
Sq mm	(No./Dia.mm)	Rate per 180	m coil (INR)	180 M		
0.5	16 / 0.2	2114	1901	12		
0.75	24 / 0.2	2866	2666	12		
1.00	32/0.2	3690	3435	12		
1.50	30/0.25	5455	5073	10		
2.50	50/0.25	8705	8094	6		
4.00	56/0.3	13183	12258	4		
6.00	84/0.3	19490	18127	3		
10.00	80/0.4	35323	33641	1		
16.00	126/0.4	53848	51076	1		

IMPORTANT

- 1. The above rates are exclusive of GST which shall be charged extra.
- 2 Delivery: F.O.R. any station in India, by road transport
- 3 Packing: This is as given above. The 90m coils will be supplied in mono cartons further packed in master cartons as given above. The 180m coils shall be in poly bags and master carton
- 4 Colours: The cables are available in Six common colours: Red, Yellow, Blue, Black, Green and Grey. The other colors are against a request
- 5 As per international practice which is also adopted by BIS, the size of the conductor is determined by its resistance. The construction of the conductor is nominal as per market convention. It may vary within the prescribed limits of IS:8130:1994 with related classes/tables
- 6 This Price List supersedes all our earlier price lists and is subject to change without prior notice.

Works: Survey No. 6074, 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village: Khatalwada, Tal: Umbergaon, Dist:

Valsad, State : Gujarat, India – 396 120



ANUSHAKTI/APAR SHAKTI

Class 2 conductor



Apar House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400 Email: info.cable@apar.com, Website: www.apar.com

List Price No:LDC/LP/HW/23/270623 Effective From 27th June 2023 Page 2 of 16

Single Core, stranded bare annealed Copper conductor, EBXL HR FR PVC/FR PVC insulated industrial cable (unsheathed) 1100 Volts conforming to the latest IS:694 as per brand given below (HSN CODE : 8544)

Conductor Area	Conductor Construction	APAR Anushakti - FR PVC	APAR Shakti - FR PVC	No.of Coils packed in a Master Carton
Sq mm	(No./Dia.mm)	Rate per 180m coil (INR)		180m
1.00	7/0.43	4023	3848	12
1.50	7/0.53	5783	5608	10
2.50	7/0.67	9191	8991	6
4.00	7/0.85	14429	14159	4
6.00	7/1.04	21361	20957	3

Single Core, stranded bare annealed Copper conductor, EBXL HR FR-LSH PVC/FR-LSH PVC insulated industrial cable (unsheathed) 1100 Volts conforming to the latest IS:694 as per brand given below (HSN CODE : 8544)

Conductor Area	Conductor Construction	APAR Anushakti - FR-LSH	APAR Shakti - FR-LSH	No.of Coils packed in a Master Carton
Sq mm	(No./Dia.mm)	Rate per 180m coil (INR)		180m
1.00	7/0.43	4113	3873	12
1.50	7/0.53	5888	5643	10
2.50	7/0.67	9341	9036	6
4.00	7/0.85	14604	14214	4
6.00	7/1.04	21566	21017	3

IMPORTANT

- 1. The above rates are exclusive of GST which shall be charged extra.
- 2 Delivery: F.O.R. any station in India, by road transport
- 3 Packing: This is as given above. The 90m coils will be supplied in mono cartons further packed in master cartons as given above. The 180m coils shall be in poly bags and master carton
- 4 Colours: The cables are available in Six common colours: Red, Yellow, Blue, Black, Green and Grey. The other colors are against a request
- 5 As per international practice which is also adopted by BIS, the size of the conductor is determined by its resistance. The construction of the condutor is nominal as per market convention. It may vary within the prescribed limits of IS:8130:1994 with related classes/tables
- 6 This Price List supersedes all our earlier price lists and is subject to change without prior notice.

Works: Survey No. 6074, 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village : Khatalwada, Tal : Umbergaon, Dist : Valsad, State : Gujarat, India – 396 120

Phone: +91 260 2406100, Fax: +91 260 2406149 Email: info.cable@apar.com Regd Office: 301, Panorama Complex, R.C.Dutt Road, Vadodara - 390007, Gujarat



List Price No:LDC/LP/HW/23/270623

ANUSHAKTI/APAR SHAKTI (FR-LSH)

APAR House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400

Email: info.cable@APAR.com, Website: www.apar.com

Page 3 of 16

Single Core, multi stranded bare annealed Copper conductor, EBXL HR FR-LSH PVC/FR-LSH PVC insulated industrial cable (unsheathed) 1100 Volts conforming to the latest IS:694 as per the brand mentioned below (HSN CODE: 8544)

Effective From 27th June 2023

onductor Area	Conductor Construction	APAR Anushakti - FR-LSH	APAR Shakti - FR-LSH	
Sq mm	(No./Dia.mm)	Rate per 180m coil (INR)		
1.00	32/0.2	3788	3525	
1.50	30/0.25	5564	5098	
2.50	50/0.25	8812	8358	
4.00	56/0.3	13632	13185	
6.00	84/0.3	20640	20026	
10.00	80/0.4	35832	34884	
16.00	126/0.4	54737	53087	

IMPORTANT

- 1. The above rates are exclusive of GST which shall be charged extra.
- 2 Delivery: F.O.R. any station in India, by road transport
- 3 Packing: The 180m coils shall be poly-wrapped
- 4 Colours: The cables are available in Six common colours: Red, Yellow, Blue, Black, Green and Grey. The other colors are against a request
- 5 As per international practice which is also adopted by BIS, the size of the conductor is determined by its resistance. The construction of the condutor is nominal as per market convention. It may vary within the prescribed limits of IS:8130:1994 with related classes/tables
- 6 This Price List supersedes all our earlier price lists and is subject to change without prior notice

Works: Survey No. 6074 , 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village : Khatalwada, Tal : Umbergaon, Dist : Valsad, State : Gujarat, India – 396 120



SINGLE CORE ANUSHAKTI/APAR SHAKTI

APAR House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400

Email: info.cable@APAR.com, Website: www.apar.com
List Price No:LDC/LP/HW/23/270623 Effective From 27th June 2023

Page 4 of 16

EBXL HR FR PVC/FR PVC/FR-LSH PVC Insulated - Unsheathed Single Core Industrial Cable with multi stranded bare annealed Copper conductor for Voltage Grade upto 1100 Volts conforming to the latest IS:694 as per brand given below(HSN CODE: 8544)

Brand	Conductor	APAR Anushakti - EBXL HR FR PVC	APAR SHAKTI - FR PVC	APAR SHAKTI FR-LSH
Conductor Area	Construction	Rate per 100 M Coil / Reel		
Sq mm	(No./Dia.mm)	1 - Core	1 - Core	1 - Core
0.50	16/0.2	1190	1035	1060
0.75	24/0.2	1639	1494	1504
1.00	32/0.2	2074	1944	1954
1.50	30/0.25	2954	2814	2829
2.50	50/0.25	4793	4618	4643
4.00	56/0.3	7522	7292	7322
6.00	84/0.3	11400	11086	11121
10.00	80/0.4	19797	19267	19377
16.00	126/0.4	30288	29253	29488
25.00	196/0.4	47161	46212	46311
35.00	276/0.4	64609	63610	63739
50.00	396/0.4	93338	91024	92393
70.00	360/0.5	130148	126944	128993
95.00	475/0.5	172871	171271	171506
120.00	608/0.5	219257	217408	217678
150.00	756/0.5	274290	272026	272366
185.00	925/0.5	334581	332127	332542
240.00	1221/0.5	440169	437435	437955
300.00	1525/0.5		555818	556447
400.00	2013/0.5		733197	733981
500.00	1728/0.6		928064	929083
630.00	2336/0.6		1244532	1245697

IMPORTANT

- 1. The above rates are exclusive of GST which shall be charged extra
- 2. Delivery: F.O.R. any station in India by road transport
- 3. Colours: The cables are available in Six common colours: Red, Yellow, Blue, Black, Green and Grey. The other colors are against a request
- 4. As per international practice which is also adopted by BIS, the size of the conductor is determined by its resistance. The construction of the condutor is nominal as per market convention. It may vary within the prescribed limits of IS 8130: 1994 with related classes and tables
- 5. This Price List supersedes all earlier price lists and is subject to change without prior notice

Works: Survey No. 6074, 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village : Khatalwada, Tal : Umbergaon, Dist : Valsad, State : Gujarat, India – 396 120

Phone: +91 260 2406100, Fax: +91 260 2406149 Email: info.cable@APAR.com

Regd Office: 301, Panorama Complex, R.C.Dutt Road, Vadodara - 390007, Gujarat



APAR SHAKTI - ROUND MULTICORE

APAR House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400 Email: info.cable@APAR.com, Website: www.apar.com

List Price No:LDC/LP/HW/23/270623 Effective From 27th June 2023 Page 5 of 16

PVC Insulated and PVC Sheathed, Round Multicore Industrial Cable with multi stranded bare annealed Copper conductor for Voltage Grade upto 1100 Volts conforming to the latest IS:694 as per brand given below (HSN CODE : 8544)

Brand		APAR SHAKTI		
Conductor Area		Rate per 100 M Coil / Reel		
Sq mm	2 - Core	3-Core	4 - core	
0.50	2844	3838	4923	
0.75	3828	5268	6812	
1.00	4828	6722	8732	
1.50	6627	9341	12285	
2.50	10691	15194	19902	
4.00	16683	23915	31437	
6.00	24660	35731	47046	
10.00	42893	62320	82067	
16.00	67053	94927	125220	
25.00	103684	148061	195632	
35.00	142168	203099	268907	
50.00	206063	294752	388335	
70.00	286540	409561	542068	
95.00	379253	542428	718073	

IMPORTANT

- 1. The above rates are exclusive of GST which shall be charged extra
- 2. Delivery: F.O.R. any station in India by road transport
- 3. Colour: The sheath of the multi-core cables are black/ grey
- 4. As per international practice which is also adopted by BIS, the size of the conductor is determined by its resistance. The construction of the condutor is nominal as per market convention. It may vary within the prescribed limits of IS 8130: 1994 with related classes and tables
- 5. This Price List supersedes all earlier price lists and is subject to change without prior notice

Works: Survey No. 6074, 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village : Khatalwada, Tal : Umbergaon, Dist : Valsad, State : Gujarat, India – 396 120



MAHASHAKTI -ROUND MULTICORE

APAR House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400

Email: info.cable@APAR.com, Website: www.apar.com

List Price No:LDC/LP/HW/23/270623

Effective From 27th lune 2023

Page 6 of 16

"APAR MAHASHAKTI" make Round Multi-Core Cables with multi stranded bare annealed Copper conductor, XLPO insulated and special Elastomer sheathed cable suitable for Voltage grade upto 1100 Volts as per IS 9968 (HSN CODE : 8544)

Brand	APAR Mahashakti			
Conductor Area	Rate per 100 M Coil / Reel			
Sq mm	2 - Core	3-Core	4 - core	
0.50	6060	7481	9139	
0.75	7345	9143	11500	
1.00	8586	10549	13337	
1.50	10768	14055	17875	
2.50	15717	20561	26150	
4.00	22791	30373	38658	
6.00	33500	45310	59132	
10.00	55801	75974	98260	
16.00	81535	113149	147017	
25.00	126185	173958	225396	
35.00	168863	234995	305602	
50.00	233415	327326	426818	

IMPORTANT

- 1. The above rates are exclusive of GST which shall be charged extra
- 2. Delivery: F.O.R. any station in India by road transport
- 3. As per international practice which is also adopted by BIS, the size of the conductor is determined by its resistance. The construction of the condutor is nominal as per market convention. It may vary within the prescribed limits of IS 8130: 1994 with related classes and tables
- 4. This Price List supersedes all earlier price lists and is subject to change without prior notice

Works: Survey No. 6074 , 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village : Khatalwada, Tal : Umbergaon, Dist : Valsad, State : Gujarat, India – 396 120



APAR ALUM SHAKTI - ROUND MULTICORE

APAR House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400 Email: info.cable@APAR.com, Website: www.apar.com

List Price No:LDC/LP/HW/23/270623 Effective From 27th June 2023 Page 7 of 16

"APAR ALUM SHAKTI" make Multi Core Round Cables with stranded bare ALIMINIUM conductor, inner core HR PVC insulated and outer sheath is HR PVC material sheathed cable with voltage grade upto 1100 Volts (HSN CODE : 8544)

Conductor Area	Rate per 100m (INR)	Outer sheath color / Packing
Sq mm	Rate per 100m (IINK)	Outer sneam color / Packing
2 X 1.5	5178	
2 X 2.5	7102	
2 X 4	9934	
2 X 6	13327	
2 X 10	19038	NEW
2 X 16	25777	
3 X 1.5	6084	
3 X 2.5	8799	
3 X 4	12198	500m Drum Outer Sheath Black
3 X 6	15819	500m Drum Outer Sneath Black
3 X 10	22383	
3 X 16	30989	
4 X 1.5	7214	
4 X 2.5	10385	
4 X 4	14462	
4 X 6	19213	\exists
4 X 10	28041	\exists
4 X 16	38227	7

IMPORTANT

- 1. The above rates are exclusive of GST which shall be charged extra
- 2. Delivery: F.O.R. any station in India by road transport
- 3. Colour: The sheath of the multi-core cables are black
- 4. This Price List supersedes all earlier price lists and is subject to change without prior notice

Works: Survey No. 6074, 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village : Khatalwada, Tal : Umbergaon, Dist : Valsad, State : Gujarat, India – 396 120

Phone: +91 260 2406100, Fax: +91 260 2406149 Email: info.cable@APAR.com Regd Office: 301, Panorama Complex, R.C.Dutt Road, Vadodara - 390007, Gujarat



MAHASHAKTI/APAR SHAKTI - 3CFT

APAR House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400 Email: info.cable@APAR.com, Website: www.apar.com

List Price No:LDC/LP/HW/23/270623 Effective From 27th June 2023 Page 8 of 16

"APAR MAHASHAKTI" make Three Core Flat Cables with stranded bare annealed Copper conductor, XLPO insulated and special Elastomer sheathed cable suitable for submersible pump motors with voltage grade upto 1100 Volts (HSN CODE: 8544)

Conductor Area	Conductor Construction	Rate per 100m (INR)	Outer sheath color / Packing
Sq mm	(No./Dia.mm)		
1.50	30/0.25	11538	
2.50	50/0.25	18340	
4.00	56/0.3	27634	
6.00	84/0.3	39657	Grey color sheath
10.00	140/0.3	68474	Continous drum length of
16.00	226/0.3	100064	500m/1000m
25.00	354/0.3	155385	
35.00	495/0.3	213286	
50.00	703/0.3	298306	

"APAR SHAKTI" make Three Core Flat Cables with stranded bare annealed Copper conductor, PVC insulated and PVC sheathed cable suitable for submersible pump motors with voltage grade upto 1100 Volts to IS 694 : 2010 (HSN CODE : 8544)

Conductor Construction	Rate per 100m (INR)	Outer sheath color / Packing
(1 10.7 Dia)		
30/0.25	9168	
50/0.25	14326	
56/0.3	22301	
84/0.3	33437	Black color sheath
140/0.3	58191	Continous drum length of
226/0.3	87590	500m/1000m
354/0.3	137743	
495/0.3	188570	
703/0.3	272655	
	(No./Dia.mm) 30/0.25 50/0.25 56/0.3 84/0.3 140/0.3 226/0.3 354/0.3 495/0.3	Rate per 100m (INR) (No./Dia.mm) 30/0.25 9168 50/0.25 14326 56/0.3 22301 84/0.3 33437 140/0.3 58191 226/0.3 87590 354/0.3 137743 495/0.3 188570

IMPORTANT

- 1. The above rates are exclusive of GST which shall be charged extra.
- 2. Delivery: F.O.R. any station in India, by road transport
- 3. This Price List supersedes all our earlier price lists and is subject to change without prior notice

Works: Survey No. 6074 , 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village : Khatalwada, Tal : Umbergaon, Dist : Valsad, State : Gujarat, India – 396 120



APAR SHAKTI XLPE -3CFT

Apar House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400 Email: info.cable@apar.com, Website: www.apar.com

List Price No:LDC/LP/HW/23/270623 Effective From 27th June 2023 Page 9 of 16

"APAR SHAKTI" make 3 Core Flat Cable with FLEXIBLE bare Copper conductors, XLPE insulated and PVC ST2 outer sheathed cable suitable for submersible pump motors with voltage grade upto 1100 Volts (HSN CODE: 8544)

CABLE TYPE	CABLE SIZE	CORES TOUCHING Rate per 100m (INR)*	Cores with Core Seperator Rate per 100m (INR)**	Packing
Cu-Flexible/XLPE/PVC	3x1.5	9609	9992	1000
Cu-Flexible/XLPE/PVC	3x2.5	14345	15058	500/1000
Cu-Flexible/XLPE/PVC	3x4	22083	22510	500/1000
Cu-Flexible/XLPE/PVC	3x6	33408	33762	500
Cu-Flexible/XLPE/PVC	3x10	57159	57677	500
Cu-Flexible/XLPE/PVC	3x16	86349	86960	500

XLPE*: CORES TOUCHING / XLPE** Cores with Core Seperator

IMPORTANT

- 1. The above rates are exclusive of GST which shall be charged extra
- 2. Delivery: F.O.R. any station in India by road transport
- 3. Colour: The sheath of the multi-core cables are black
- 4. This Price List supersedes all earlier price lists and is subject to change without prior notice

Works: Survey No. 6074, 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village: Khatalwada, Tal: Umbergaon, Dist:

Valsad, State : Gujarat, India – 396 120



APAR ALUM SHAKTI - 3CFT



Apar House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400

Email: info.cable@apar.com, Website: www.apar.com

List Price No:LDC/LP/HW/23/270623 Effective From 27th June 2023

Page 10 of 16

"APAR ALUM SHAKTI" make Three Core Flat Cables with stranded bare ALIMINIUM conductor, inner core HR PVC insulated and outer seath is HR PVC material sheathed cable suitable for submersible pump motors with voltage grade upto 1100 Volts (HSN CODE: 8544)

Conductor Area Sq mm	Rate per 100m (INR)	Current Rating Amps	Outer sheath color / Packing	
3C X 2.5	7670	18		
3C X 4	10162	26	500m Drum outer Sheath Black Colour	
3C X 6	13555	31		
3C X 10	20119	42		
3C X 16	26912	57	1	
	-	-		

IMPORTANT

- 1. The above rates are exclusive of GST which shall be charged extra
- 2. Delivery: F.O.R. any station in India by road transport
- 3. Colour: The sheath of the multi-core cables are black
- 4. This Price List supersedes all earlier price lists and is subject to change without prior notice

Works: Survey No. 6074, 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village : Khatalwada, Tal: Umbergaon, Dist: Valsad,

State : Gujarat, India – 396 120



SPEAKER CABLE

Apar House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400 Email: info.cable@apar.com, Website: www.apar.com

List Price No:LDC/LP/HW/23/270623 Effective From 27th June 2023 Page 11 of 16

3	pea	ker	Cab	le:	90	Mtr
---	-----	-----	-----	-----	----	-----

opeaner dable : Jointi				
CABLE TYPE	CABLE SIZE	Rate per 90m coil (INR)	Packing	
SPEAKER CABLE	2C X 0.5 SQ.MM	2484	90M	
SPEAKER CABLE	2C X 0.75 SQ.MM	3524	90M	
SPEAKER CABLE	2C X 1 SQ.MM	4568	90M	
SPEAKER CABLE	2C X 1.5 SQ.MM	6572	90M	
SPEAKER CABLE	2C X 2.0 SQ.MM	9131	90M	
SPEAKER CABLE	2C X 2.5 SQ.MM	10731	90M	

IMPORTANT

- 1 The above rates are exclusive of GST which shall be charged extra.
- 2 Delivery: F.O.R. any station in India, by road transport
- 3 Colours: The cables are available in Transparent
- 4 This Price List supersedes all our earlier price lists and is subject to change without prior notice.

Works: Survey No. 6074, 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village : Khatalwada, Tal : Umbergaon, Dist : Valsad, State : Gujarat, India – 396 120



CCTV Cable

Apar House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400 Email: info.cable@apar.com, Website: www.apar.com

List Price No:LDC/LP/	HW/23/270623	Effective From 2	27th June 2023	Page 12 of 16
		CCTV Cable		
CABLE TYPE	CABLE SIZE	90M	180M	1000M (+/- 5% Drums/spools)
CCTV Cable	CCTV 3 + 1 (90 Mtrs)	4043	8014	43982
CCTV Cable	CCTV 4 + 1 (90 Mtrs)	4615	9333	51831
CCTV Cable	CCTV 6 + 1 (90 Mtrs)	5629	11184	62055
CCTV Cable	CCTV 3 + 1 (180 Mtrs)			157712
CCTV Cable	CCTV 4 + 1 (180 Mtrs)			151836
CCTV Cable	CCTV 6 + 1 (180 Mtrs)			175345

IMPORTANT

- 1 The above rates are exclusive of GST which shall be charged extra.
- 2 Delivery: F.O.R. any station in India, by road transport
- 3 This Price List supersedes all our earlier price lists and is subject to change without prior notice.

Works: Survey No. 6074, 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village: Khatalwada, Tal: Umbergaon, Dist: Valsad, State: Gujarat, India – 396 120

Phone: +91 260 2406100, Fax: +91 260 2406149 Email: info.cable@APAR.com

Regd Office: 301, Panorama Complex, R.C.Dutt Road, Vadodara - 390007, Gujarat



CAT6 CABLE

Apar House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400

Email: info.cable@apar.com, Website: www.apar.com

List Price No:LDC/LP/HW/23/270623	Effective From 27th June 2023	Page 13 of 16		
CAT6 Cable				
CABLE TYPE	Rate per Rs/305M	Packing		
24 AWG Cat 6 UTP Unarmoured FR PVC Cable	12866	305M		
24 AWG Cat 6 UTP Wire armoured LSZH Cable	32232	305M		

IMPORTANT

- 1 The above rates are exclusive of GST which shall be charged extra.
- 2 Delivery: F.O.R. any station in India, by road transport
- 3 Colours: The cables are available in Grey
- 4 This Price List supersedes all our earlier price lists and is subject to change without prior notice.

Works: Survey No. 6074, 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village: Khatalwada, Tal: Umbergaon, Dist: Valsad, State: Gujarat, India – 396 120

Phone: +91 260 2406100, Fax: +91 260 2406149 Email: info.cable@APAR.com Regd Office: 301, Panorama Complex, R.C.Dutt Road, Vadodara - 390007, Gujarat



FIRE ALARM CABLE



Apar House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400 Email: info.cable@apar.com, Website: www.apar.com

List Price No:LDC/LP/HW/23/270623	Effective From 27th June 2023	Page 14 of 16		
FIRE ALARM CABLE				
CABLE TYPE	Rate per Rs/100M	Packing		
2XWY (CU/XLPE/PVC/GS WIRE/FR+LSH PVC) FIRE ALARM CABLE	11121	1000M		

IMPORTANT

1 The above rates are exclusive of GST which shall be charged extra.

2 Delivery: F.O.R. any station in India, by road transport

3 Colours: The cables are available in Grey

4 This Price List supersedes all our earlier price lists and is subject to change without prior notice.

Works: Survey No. 6074, 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village: Khatalwada, Tal: Umbergaon,

Dist : Valsad, State : Gujarat, India – 396 120

Phone: +91 260 2406100, Fax: +91 260 2406149 Email: info.cable@APAR.com

Regd Office: 301, Panorama Complex, R.C.Dutt Road, Vadodara - 390007, Gujarat



Solar Cable

Apar House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400

Email: info.cable@apar.com, Website: www.apar.com

List Price No:LDC/LP/HW/23/270623	Effective From 27th June 2023	Page 15 of 16
Solar Cable		

CABLE SIZE	ATC/XLPO/XLPO as per EN 50618	ATC/XLPO/XLPO as per TUV 2PFG 1169 For 1/1.5 KV DC	Type 2, TCAA/XLPO/XLPO Generally as per EN 50618
	Rate per Rs/M	Rate per Rs/M	Rate per Rs/M
2.5	61		
4	80	79	
6	110	108	63
10	196		85
16	309		143

IMPORTANT

- 1 The above rates are exclusive of GST which shall be charged extra.
- 2 Delivery: F.O.R. any station in India, by road transport
- 3 This Price List supersedes all our earlier price lists and is subject to change without prior notice.

Works: Survey No. 6074 , 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village : Khatalwada, Tal : Umbergaon, Dist : Valsad,

State : Gujarat, India – 396 120



UNINYVIN Cable



Apar House, Corporate Park, V N Purav Marg, Chembur Mumbai 400071 India

Tel: +91 22 2526 3400 / 6780 0400 Email: info.cable@apar.com, Website: www.apar.com

List Price No:LDC/LP/HW/23/270623 Effective From 27th June 2023 Page 16 of 16

Single Core, Annealed Tinned Copper Conductor, EBXL-HRPVC (105 Deg C) Melt Resistant Insulation, and Nylon Sheath/Braiding with Lacquer

Voltage Grade	UNINYVIN Cable Description	Size	Cable Size sqmm	Rate per Rs/Km
		Uni Nyvin - 0000	1C x 109 mm ²	23,69,058
		Uni Nyvin - 000	1C x 84.2 mm ²	18,33,294
		Uni Nyvin - 00	1C x 68.3 mm ²	14,88,228
600 V	ATC/EBXL-HRPVC/Nylon Braid &	Uni Nyvin - 0	1C x 53 mm ²	11,82,209
000 V	Lacquer	Uni Nyvin - 1	1C x 40.7 mm ²	9,06,253
	·	Uni Nyvin - 2	1C x 33.3 mm ²	7,38,161
		Uni Nyvin - 4	1C x 21.5 mm ²	4,91,346
		Uni Nyvin - 6	1C x 13.3 mm ²	3,23,530
		Uni Nyvin - 8	1C x 8.76 mm ²	2,16,926
	ATC/EBXL-HRPVC/Nylon sheath	Uni Nyvin - 10	1C x 5.33 mm ²	1,34,029
		Uni Nyvin - 12	1C x 3.22 mm ²	88,627
400.14		Uni Nyvin - 14	1C x 2.05 mm ²	75,795
600 V		Uni Nyvin - 16	1C x 1.17 mm ²	61,648
		Uni Nyvin - 18	1C x 0.966 mm ²	51,113
		Uni Nyvin - 20	1C x 0.556 mm ²	41,213
		Uni Nyvin - 22	1C x 0.347 mm ²	37,311

IMPORTANT

- 1 The above rates are exclusive of GST which shall be charged extra.
- 2 Delivery: F.O.R. any station in India, by road transport
- 3 This Price List supersedes all our earlier price lists and is subject to change without prior notice.

Works: Survey No. 6074, 2228, 1991, 6341/P1, 2219, 2221, Khatalwada - Manekpur Road, Village: Khatalwada, Tal: Umbergaon, Dist: Valsad,

State : Gujarat, India – 396 120